



**SAFETY DATA SHEET**

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product Name** WATER BASE DRY FOG WHITE  
**Product Code** .DF11  
**Revision Date:** 08/17/2015  
**Print Date:** 2016-01-14  
**Product Class** WATER THINNED PAINT  
**Recommended use** Paint  
**Restrictions on use** No information available

**Manufacturer**

Vista Paint Corporation  
2020 E. Orangethorpe Ave.  
Fullerton, CA 92831  
714.680.3800

**Emergency Telephone Number(s):** 800.535.5053 (Infotrac)

**2. HAZARD(S) IDENTIFICATION**



**GHS Pictograms:**

**Signal Word:** Warning

**GHS Classifications:** H319 - Eye irritant  
H315 – Skin Irritant

**Hazard Statements:** Causes eye and skin irritation

**Precautionary Statements:** P103 – Read label before use.  
P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 – Wash hands thoroughly after handling.  
P273 – Avoid release to the environment.  
P281 – Wear protective equipment as required – respirator/safety glasses/gloves.  
P285 – In case of inadequate ventilation wear respiratory protection.  
P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P302 + P350 – IF ON SKIN: Gently wash with plenty of water and soap.  
P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens, if present and easy to do. Continue rinsing.  
P501 – Dispose of contents/container in accordance with local/state/federal regulations.

**HNOC:** Not Applicable

**Other information:** No information available

### 3. COMPOSITION INFORMATION ON COMPONENTS

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>Weight %</u>
Aluminum Silicate - KAOLIN	1332-58-7	10.73
Titanium Dioxide	13463-67-7	9.58
*Sodium nitrite	7632-00-0	0.14

### 4. FIRST AID MEASURES

<b>General Advice:</b>	No hazards which require special first aid measures.
<b>Eye Contact:</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin Contact:</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
<b>Inhalation:</b>	Move to fresh air. If symptoms persist, call a physician.
<b>Ingestion:</b>	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
<b>Most Important Symptoms/Effects:</b>	None known.
<b>Notes To Physician:</b>	Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>NFPA:</b>	<b>1 - 0 - 0</b>
<b>Suitable Extinguishing Media:</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Protective Equipment And Precautions For Firefighters:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
<b>Specific Hazards Arising From The Chemical:</b>	Closed containers may rupture if exposed to fire or extreme heat

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

**Other Information:** Prevent further leakage or spillage if safe to do so.

**Environmental Precautions:** See Section 12 for additional Ecological Information.

**Methods For Clean-Up:** Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

**Storage:** Keep container tightly closed. Keep out of the reach of children. Keep from freezing.

**Incompatible Materials:** No information available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limits

REPORTABLE COMPONENTS	CAS NUMBER	WT %	OSHA Exposure Limits				Vapor Pressure mm Hg @TEMP
			AGCIH LV/TWA PPM	TWA PPM	STEL MG/M3	MG/M3	
Aluminum Silicate - KAOLIN	1332-58-7	10.73	-	-	15	-	-
Titanium Dioxide	13463-67-7	9.58	10	-	10	-	-
*Sodium nitrite	7632-00-0	0.14	-	-	-	-	-

**Eye/Face Protection:** Safety glasses with side-shields.

**Skin Protection** Protective gloves and impervious clothing.

**Respiratory Protection** In case of insufficient ventilation wear suitable respiratory equipment.

**Engineering Measures:** Ensure adequate ventilation, especially in confined areas.

**Hygiene Measures:** Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**

Liquid

Product Name: WATER BASE DRY FOG WHITE  
Product Code: .DF11

Vista Paint Corporation

Page 3 of 7

<b>Odor</b>	Little or no odor
<b>Odor Threshold</b>	No information available
<b>Density (lbs./gal)</b>	10.42
<b>Specific Gravity</b>	1.25
<b>pH</b>	No information available
<b>Viscosity (cps)</b>	No information available
<b>Solubility</b>	No information available
<b>Water Solubility</b>	No information available
<b>Evaporation Rate</b>	No information available
<b>Vapor Pressure</b>	No information available
<b>Vapor Density</b>	No information available
<b>Wt. % Solids</b>	53.79
<b>Vol. % Solids</b>	42.17
<b>Wt. % Volatiles</b>	46.21
<b>Vol. % Volatiles</b>	42.17
<b>Coating VOC</b>	28.40 g/l
<b>Material VOC</b>	12.35 g/l
<b>Boiling Point (°F)</b>	212 °F
<b>Freezing Point (°F)</b>	32 °F
<b>Flash Point (°F)</b>	Not applicable
<b>Flash Point Method</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper Explosion Limit</b>	Not applicable
<b>Lower Explosion Limit</b>	Not applicable
<b>Autoignition Temperature (°F)</b>	No information available
<b>Decomposition Temperature (°F)</b>	No information available
<b>Partition Coefficient (n-octanol/water)</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Not Applicable
<b>Chemical Stability</b>	Stable under normal conditions.
<b>Conditions To Avoid</b>	Prevent from freezing
<b>Incompatible Materials</b>	No materials to be especially mentioned.
<b>Hazardous Decomposition Products</b>	None under normal use.
<b>Possibility Of Hazardous Reactions</b>	None under normal conditions of use.

## 11. TOXICOLOGICAL INFORMATION

<b>Principal Routes of Exposure:</b>	Eye contact, skin contact and inhalation.
<b>Acute Toxicity:</b>	No information available
<b>Symptoms</b>	No information available
<b>Eye contact</b>	May cause slight irritation.
<b>Skin contact</b>	Substance may cause slight skin irritation. Prolonged or

repeated contact may dry skin and cause irritation.

**Inhalation**

May cause irritation of respiratory tract.

**Ingestion**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Sensitization:**

No information available

**Neurological Effects**

No information available.

**Mutagenic Effects**

No information available.

**Reproductive Effects**

No information available.

**Developmental Effects**

No information available.

**Target Organ Effects**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Other adverse effects**

No information available.

**Aspiration Hazard**

No information available

**Carcinogenicity**

*The information below indicates whether each agency has listed any ingredient as a carcinogen:.*

Chemical Name	IARC	NTP	OSHA Carcinogen
Titanium dioxide (If Listed)	2B - Possible Human Carcinogen		Listed

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

**Legend**

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety & Health Administration

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity Effects**

The environmental impact of this product has not been fully investigated.

**Acute Toxicity to Fish (Titanium Dioxide)**

LC50: > 1000 mg/L (Fathead Minnow - 96 hr.)

**Acute Toxicity to Aquatic Invertebrates**

No information available



